



PlaybackPro Plus X

User Guide



PlaybackPro Plus is a professional, high-definition, non-linear media playback application for macOS. It makes professional media playback on a Mac quick and simple.

About PlaybackPro Plus

PlaybackPro Plus makes professional media playback on a Mac quick and simple. By utilizing the best in Apple video technology, PlaybackPro Plus is optimized to play virtually any modern Mac file type. The intuitive interface allows you to rapidly add media, organize and play clips, apply custom settings and save playlists, all without altering the original files.

PlaybackPro Plus includes a mixer for crossfades and direct cuts between clips, support for still images and remote control over ethernet using the DT18 multi-system controller or TCP/IP and UDP commands.

Automatic output resolution and aspect ratio functions are built-in, with real-time manual adjustments available for sizing, stretching, cropping, as well as gain, saturation, black levels, hue and volume.

Connecting a PlaybackPro Plus system is easy too. By using modern Apple video adapters or third party broadcast converters, PlaybackPro Plus easily connects to professional switchers, video projectors, LED video walls and high-resolution monitors. PlaybackPro Plus is not currently compatible with video output devices such as an Aja T-TAP or Blackmagic UltraStudio device. Please visit our www.dtvideolabs.com/faq for current information.

Also From DT Videolabs


InstaCue



Professional audio playback for Macs with instant clip recall, organization and layering. Use anywhere music, voice over announcements and sound effects are needed.

[Read More](#)

SpeakerTimerPro



Mac software to keep live events and speakers on schedule by providing a highly readable and customizable digital timer.

[Read More](#)


Table of Contents

① Before You Begin	4
①.1 PreFlight.....	4
①.2 System Specifications.....	4
② Setup	5
②.1 General Hardware Setup.....	5
②.2 License Activation	5
②.3 Demo Mode	8
②.4 Top Keyboard Commands	8
②.5 Audio	8
③ Interface	9
③.1 Layout	9
③.2 Preview / Program	9
③.3 Playlist	10
③.4 Navigation Controls	12
④ Functions	13
④.1 Clip Settings	13
④.2 Show Controls and Clip Transitions.....	14
④.3 Edit Multiple	17
⑤ Controller Options	17
⑥ Remote Control.....	18
⑥.1 DT18.....	18
⑥.2 SimpleSync	18
⑥.3 UDP and TCP/IP	20
⑦ All Keyboard Commands	22

1 Before You Begin

1.1 PreFlight

Each version of macOS has specific settings which have a great impact on playback performance. Before you begin, please visit www.dtvideolabs.com/preflight. This page also includes a link to a printable PDF if needed.



1.2 System Specifications

Using the right Mac system, configured with recommended codecs and container files is key to successful high resolution playback with PlaybackPro Plus. Please visit www.dtvideolabs.com/system-recommendations for the most current specifications and Mac system recommendations.



2 Setup

2.1 General Hardware Setup

MacbookPro and iMac





Single Video Output



MacPro and Mac Mini



Single Video Output




2.2 License Activation

Activating an Internet Activated (IA) Serial Number

PlaybackPro Plus can be activated using a serial code from either PlaybackPro Plus or the PlaybackPro Collection.

- (1) Download the PlaybackPro Plus IA application from the link provided in your purchase email or from the Internet Activated (IA) table on www.dtvideolabs.com/downloads
- (2) Place the unzipped program file into the Applications folder then double click to launch.
A delay of up to 10 seconds can occur when launching the application. This is normal behavior as the application checks the license.
- (3) In the dialog box click the "Activate" button under the name of the application to be activated

- (4) Enter the serial number provided at the time of purchase, including the dashes. A DT Videolabs serial number will always be 4 sets of 8 digits, separated by dashes. For example, xxxxxxxx-xxxxxxx-xxxxxxx-xxxxxxx. Enter your personal registration information in the remaining fields and click “Activate Now”. It is important that you enter something in each of the fields.



Notes

Internet access is required to activate or release a license, however it is not necessary for program use once a license is activated

- Registration information can be unique each time an application is activated
- Licenses are single seat and allow for the use of one application at a time, on one computer at a time
- License may be released from one computer and moved to another using the release process outlined below and at www.dtvideolabs.com/activation


Once activated, the Application Control Window will appear. If you encounter any problems during activation, please visit www.dtvideolabs.com/contact or email technical@dtvideolabs.com.

Releasing an Internet Activated Serial Number

Connect the computer to the internet

- (1) Launch PlaybackPro Plus
- (2) Go to the PlaybackPro Plus menu (to the left of the File Menu), select “Manage Licenses”
- (3) Store the serial number. A DT Videolabs serial number will always be 4 sets of 8 digits with dashes in-between.


- (4) Click on “Release License”. The system will report when the license has been successfully released and available to activate on another system.



*****IMPORTANT***** License information will be retained on your system after you release a license. Users of previous versions will notice the addition of the “Clear Info” button which removes previous license info from your system and can aid in troubleshooting. If you have trouble activating a license, clear the info and try activating again. If you use the “Clear Info” button, it is important for you to retain a copy of your license number so you can reactivate.


New USB Installation Collection Instructions

- (1) Insert the USB Enabler key into the system
- (2) If you haven't already, go to www.dtvideolabs.com/downloads to download the Collection
- (3) Place the unzipped program files into the Applications folder then double click an application to launch
- (4) If running an application on a system for the first time, a window will open after you attempt to create or open a show. Select “Install Key Driver” and follow the on-screen instructions



2.3 Demo Mode

If you need to evaluate PlaybackPro Plus or set up a show off-line, you can use Demo mode. It is fully functional but has a watermark on the fullscreen output. Download the USB version of PlaybackPro Plus (Internet Activated versions do not offer a demo mode) from www.dtvideolabs.com/downloads, launch it, click on “New Show.” After a few moments, you will get a dialog box with options for the USB key. Select “Run as Demo.”



2.4 Top Keyboard Commands

New Show.	Shift + Command	N
Save Show	Command	S
Open Show.....	Command	O
Close Show.....	Command	W
New Clip	Command	N
Duplicate Clip.....	Command	D
Delete Clip	Command	Delete

Take	Enter
End All	Escape
Toggle Play/Pause	Shift + Option Space
Goto In.....	Shift + Command -
Goto Out.....	Shift + Command =
Preview Mark In.....	Command [
Preview Mark Out.....	Command]
Preview Mark Slate.....	Command \

See [Section 7](#) for a complete list of keyboard commands.

2.5 Audio


Currently, audio is handled by macOS. To change the audio output go to System Preferences, Sound, Output. Multi-channel audio is possible with PlaybackPro Plus. Please contact us for current instructions.

Common compatible codecs are AAC, AIFF/AIFC, MP3 and .WAV.

3

Interface

3.1 Layout



3.2 Preview / Program

PlaybackPro Plus is designed on a Preview/Program paradigm, similar to a production switcher.

Preview - Preview is what will play next. Preview is always in blue. When a clip is selected from the playlist, it is placed in Preview and begins to pre-roll in the background to allow direct cuts and immediate transitions with clips playing in Program. Preview is used to set in/out points, set levels, fades and geometry.

Program - Program is what's going to the output. Program is always in red. When a clip is Taken from Preview, it transitions to Program and plays with any attributes you've set (in/out Points, fades, geometry, levels, etc). The Program window shows the clip exactly as it appears on the external output.

Green counter - The green counter is located over the Preview and Program window and shows the time elapsed relative to the In point.

Red counter - The red counter is located over the Preview and Program window and shows the time remaining relative to the Out point.

Setup - The aspect ratio of the output is reflected in the Preview and Program sections. To change the output resolution use the "Setup" button and select the desired resolution.

3.3 Playlist

The clips are shown in the Playlist and attributes are applied as clips are played. The clips are only being referenced, PlaybackPro Plus is nondestructive to original clips.

Take	#	Title	Comment	Section	TRT	Loop	Loop Duration	Freeze	Link	Link Duration
Take 1	1	Sunrise 1	Fake ending at :20		00:01:27:05	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	-1.50
Take 2	2	Commercial Spot reel	Use clip 4		00:00:19:48	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	-1.50
Take 2a	2a	Volcano	Starts in black	Walk-in	00:01:35:31	<input checked="" type="checkbox"/>	-2.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	-2.50
Take 3	3	Background	Cities		00:38:42:24	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	-1.00
Take 4	4	Launch Pad			00:00:30:00	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	-2.50
Take 4a	4a	Launch Transporter	3rd cut		00:00:38:44	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	-0.50
Take 5	5	Transporter			00:01:00:56	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 6	6	Mars Rover			00:04:55:57	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 7	7	Transporter 2	Start at :045		00:02:27:57	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 8	8	NASA	Launch		00:01:00:56	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	-1.50
Take 9	9	New Mission			00:02:57:54	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2.00
Take 9a	9a	Fly by	1st of 2 clips		00:00:48:27	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 9b	9b	Fly by 2	2nd of 2 clips		00:02:00:21	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 10	10	Saturn Rings	Use after 1:30 to the end		00:00:37:49	<input checked="" type="checkbox"/>	-2.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00
Take 11	11	Moonshot	Use entire clip		00:09:55:49	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>	-2.00
Take 12	12	Landing			00:01:00:47	<input type="checkbox"/>	+0.00	<input type="checkbox"/>	<input type="checkbox"/>	+0.00

Adding Clips

"File" menu and select "New Clips"

"Action" button and select "New Clips"

Press **Command** + N

Drag and drop from a Finder window

Removing Clips

"File" menu and select "Remove Clip"

Highlight clip and press **Command** + Delete

"Action" button, select "Edit Multiple", select clips, select "Delete Selected"

Duplicating Clips

Highlight clip and select "File" and "Duplicate"

Highlight clip and select "Action" and "Duplicate"

Highlight clip and press **Command** + D

Duplicated clips create a new clip entry in the playlist but do not create a new file on a hard drive.

Ordering Clips

Clips can be reordered by dragging and dropping, or by using the “Move Up” and “Move Down” options from the “Action” button.

Locating Clips

If a clip has been moved from its original location or is off-line, its text will be grayed out. By clicking the “Action” button and selecting “Locate” you can redirect the reference to its new location, however the clip must have the same name.

Playlist Fields

Field - Enter alphanumeric text to allow for easy cueing of the next desired clip. In PlaybackPro Plus, the Clip Number can be entered on the keyboard to directly load a clip into Preview. In SimpleSync, the Clip Number can be used to load clips into Preview across multiple PlaybackPro Plus systems. The Clip Number field is for operator convenience, and does not affect the order in which the clips are played.

Title - Allows you to rename the reference of the clip for easier identification. Changing the title in this field does not change the filename of the original file stored on a hard drive.

Comment - Enter text / production notes for the clip

Section - Enter text / production notes for the clip

TRT - Total runtime of the clip

Loop - Select to loop an individual clip. When a clip that's set to Loop begins playback, the “Loop Temp” button in Show Controls is activated. [See Section 4.2](#) for more information on Show Controls. An entire playlist may be looped by selecting the “Link” checkbox for each clip.

Loop Duration - Sets the loop duration time. A negative number creates a seamless Dissolve (-3.00 = 3 second dissolve) between the end of the clip and the beginning of the clip, zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay) before the clip starts playing again. This is the same as clicking the “Loop Temp” button and setting the “Loop Duration” manually in Show Controls.

Freeze - Selecting this checkbox will freeze on the last frame of the clip playing in Program and activates the “Freeze Temp” button in Show Controls. To end the freeze, “Take” another clip or click on the “Freeze Temp” button.


Link - When checked, the next clip in the playlist will automatically load into Preview, the “Link Temp” button in Show Controls will activate and the clip will transition to Program when the clip playing in Program ends. This is the same as manually selecting the next clip in Preview, clicking the “Link Temp” button, and setting the “Link Duration” manually in Show Controls. The clip in Preview (and Link Duration) can still be changed once the clip is playing.

Link duration - Sets the duration for a transition to the next clip when playout of the clip ends. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).

Print - The playlist can be printed or saved as a PDF file by using the File menu and selecting Print.

3.4 Navigation Controls

Navigation Controls are used for finding specific parts of a clip to set In and Out points and the Slate image. There is a set of controls for both Preview and Program.




- (1) **Goto In / Out** - Moves the playback position to the In or Out Point
- (2) **Control Buttons** - Fast Reverse, Play-Pause Toggle, Pause, Play and Fast Forward buttons (in order from left to right)
- (3) **Shuttle** - Temporarily changes the playback speed. This is primarily used to set up a clip in Preview, however it can be used in Program. Clips in Program always begin playback at normal speed.
- (4) **Scrubber** - Used to find specific parts of a clip so that In, Out, and Slate can be set. This is primarily used in Preview, however they can be used while in Program. When a Preview clip is Taken to Program, it starts from its In Point regardless of the Scrubber position.

4 Functions

4.1 Clip Settings

The Clip settings determine how a clip is played back in Program, and only affects the selected clip (whether in Preview or Program). All settings are saved when the Show File is saved.

Main Tab




- **File Path Indicator** - Shows the path and name of the referenced file
- **Fade-In Duration** - Tells clip how long to Fade-In on Take
- **Fade-Out Duration** - Tells clip how long to Fade-Out at end
- **Set In** - Sets where clip will begin playback
- **Set Out** - Sets where clip will end playback
- **Set Slate** - Used to set the Slate image for that clip


Geometry

Geometry settings are available on both the Preview and Program side to control the size, aspect ratio, cropping and positioning of clips and will be stored in the playlist if altered.

Geometry can be copied and pasted between clips using the "Copy Geometry" and "Paste Geometry" buttons.



Levels




Level settings are also available on both the Preview and Program side to control the black level, gain, gamma, color, hue and volume of the current clip. If the clip is in Program, changes are seen on the video output as well as in the Program section.

Levels can also be copied and pasted between clips using the “Copy Levels” and “Paste Levels” buttons.


4.2 Show Controls and Clip Transitions

The Show Controls breakdown into 3 areas: Take, Program's End and End All. Each is covered in the following sections.



Take

- (1) **Fade On Take Duration** - If “Take” is clicked while a clip is playing in Program, and the Take Duration is +0.00 or greater (a Cut or Delay), this control fades Program video and audio for the designated duration, before performing the Cut or Delay.
- (2) **Take Duration** - Controls how the Preview clip transitions to Program when “Take” is clicked. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).
- (3) **Take** - Takes the Preview clip to Program. If there is nothing playing in Program, clicking “Take” causes the Preview clip to begin playing immediately (as a Cut), regardless of the Take Duration.




Possible Take Transitions

1 Take Duration	2 Fade On Take	3 On Take	Image
No Program Playing			
N/A	N/A	When Program is not playing, Preview will Cut to Program	
Mixing Preview and Program Clips			
-x.00	N/A	Preview will Mix to Program for x seconds	
Cutting Preview and Program Clips			
+0.00	+0.00	Preview will Cut to Program	
+0.00	+y.00	Preview will Cut to Program after Program fades for y seconds	
Delay between Preview and Program Clips			
+x.00	+0.00	Preview will Cut to Program after Delay of x seconds	
+2.00	+2.00	Preview will Cut to Program x seconds after Program fades for y seconds	

Program's End



(1) **Link Duration** - Controls how the Preview clip transitions to Program when "Link Temp" is selected and the Program clip has reached its end. A negative number creates a Dissolve (-3.00 = 3 second dissolve), zero creates a Cut, and a positive number creates a Delay (+3.00 = 3 second Delay).




























- (2) **Link Temp** - Temporarily Links or Un-links Preview and Program based on the Link Duration. The preview clip will not play if either "Freeze Temp" or "Loop Temp" is selected. This does not affect the clip's permanent Link setting.
- (3) **Freeze Temp** - Temporarily freezes Program clip when it reaches its Out Point. A freeze can be terminated by either unselecting "Freeze Temp", "Taking" a Preview Clip, or clicking "End All". The program clip will not Freeze if "Loop Temp" is selected. This does not affect the clip's permanent Freeze setting.
- (4) **Loop Temp** - Temporarily Loops or Un-loops the Program clip. Click "End All" to immediately end a loop, or "Take" if a clip is loaded in Preview. This does not affect the clip's permanent Loop setting.

- (5) **Loop Duration** - Controls how a loop will transition upon itself. A negative number creates a Dissolve ($-3.00 = 3$ second dissolve), zero creates a Cut, and a positive number creates a Delay ($+3.00 = 3$ second Delay).

Legend

	Button Activated
	Button not activated
Blank	Not Applicable

① ② ③ ④ ⑤

Link Duration	Link Temp	Freeze Temp	Loop Temp	Loop Duration	Loop, Freeze and Link Transitions	Image
No Program Playing						
					Program will End	
Loop						
				-x.00	Program will loop with a Mix of x seconds	
				-0.00	Program will loop with a Cut	
				+x.00	Program will loop with a Delay of x seconds	
Freeze						
					Program will freeze on last frame	
Link						
-y.00					Preview will Mix to Program for x seconds	
+0.00					Program will Cut to Program	
+y.00					Preview will Cut to Program after Delay of x	



Goto Buttons

The Goto 10 / Goto 20 / Goto 30 buttons immediately take the program to 10, 20 or 30 seconds from the clip's Out Point.

End All


- (1) **End All Duration** - Specifies how long audio and video will fade out when "End All" is clicked
- (2) **End All** - Ends Program playback and Preview clip will not play



End All Duration	Result	Image
+0.00	Program will End, Preview will not start	
+x.00	Program will fade-out for x seconds, Preview will not start	

4.3 Edit Multiple Mode

The “Edit Multiple” mode may be selected from the “Action” menu to make changes across multiple clips and must be used with great care. Please make sure you are comfortable with any changes before you save your playlist.



5 Controller Options

Multi-System

18-Key DT18



Independently or simultaneously control up to 4 systems with the new DT18. Professional-grade backlit buttons provide easy access to essential show controls and playback functions.

[Read More](#)

Single-System

12-Key UC12



The UC12 is a proven single system performer. The easy to read color coded buttons provide essential show control functions for both PlaybackPro and PlaybackPro Plus.

[Read More](#)

Single-System

40-Key UC40



The UC40 was built for single system PlaybackPro Plus control. The buttons for clip setup and show control are color coded and easily accessible for all essential functions.


[Read More](#)

6 Remote Control

Overview

PlaybackPro Plus offers several remote control options.

- (1) **No Control** - Stops all listening for remote commands
- (2) **UDP Listen** - System listens for commands over ethernet from remote system
- (3) **TCP/IP Listen** - System listens for commands over ethernet from remote system
- (4) **DT18** - System listens for commands from the DT18 Multi-System Controller
- (5) **SimpleSync** - System listens for commands from SimpleSync



6.1 DT18

The DT18 Multi-System Controller is designed and built by DT Videolabs. It allows ethernet control of up to four PlaybackPro Plus systems. For more information, including technical specifications and the User Guide, visit www.dtvideolabs.com/controller-dt18



6.2 SimpleSync


SimpleSync is a free, multi-sync roll companion application for PlaybackPro Plus. To download SimpleSync and the detailed User Guide please use these links.

Download User Guide - www.dtvideolabs.com/dt-videolabs-user-guides

Download SimpleSync - www.dtvideolabs.com/downloads


6.3 UDP and TCP/IP Remote Control

To control PlaybackPro Plus from a device other than SimpleSync, use UDP or TCP/IP control. Select UDP Listen or TCP/IP Listen from the “Network Setup” menu. To stop all communications, select “No Control” from the “Network Setup” menu.




TCP/IP

PlaybackPro Plus listens for a connection on port 4647. Set the IP address (should be static) and port number on the device that will be controlling PlaybackPro Plus, and tell it to connect. Once connected, the Network Status will show TCP/IP Connected, rather than TCP/IP Listening. Disconnect the remote source before selecting a different remote option. See the table below for commands.



UDP

PlaybackPro Plus listens for commands on port 7000. Set the IP address (should be static) and port number on the device that will be controlling PlaybackPro Plus. See the table below for commands.



Preview Controls

TCP/IP and UDP Commands

Command	Function
EF	Set Fast Forward Speed
ER	Set Fast Reverse Speed
GOxxx	Load clip #xxx into Preview
ES	Mark In Point
EE	Mark Out Point
EP	Toggle Play/Pause
E-	Step Back One Frame
E+	Step Forward One Frame
TA	Take clip to Program

Program Controls

TCP/IP and UDP Commands

Command	Function
GTxxx	Load clip #xxx and Take
KL	End All Playback
OF	Set Fast Forward Speed
OR	Set Fast Reverse Speed
10	Goto 10 seconds
20	Goto 20 seconds
30	Goto 30 seconds
SL	Enable Loop Temp
EL	Disable Loop Temp
PA	Pause Playback
PL	Play from current location
OP	Toggle Play/Pause
O-	Step Back One Frame
O+	Step Forward One Frame

Show Controls

TCP/IP and UDP Commands

Command	Function
CL	Clear Preview Clip
K-	Decrease End All Fade Out
K+	Increase End All Fade Out
FT	Toggle Freeze Temp
I-	Decrease Link Temp duration
I+	Increase Link Temp duration
IT	Toggle Link Temp
L-	Decrease Loop Temp duration
L+	Increase Loop Temp duration
LT	Toggle Loop Temp
NX	Select Next Clip for Preview
PR	Select Previous Clip for Preview
SA	Save Show File
SIxxx	Select Clip by #xxx ID for Preview
TIxxx	Take Clip by #xxx ID
F-	Decrease Fade On Take Duration
F+	Increase Fade On Take Duration
T-	Decrease Take Duration
T+	Increase Take Duration

Show Inquiries

TCP/IP and UDP Commands

Command	Request	Return Value(s)
AD	All clip durations	All clip durations, comma delimited
AN	All clip names	All clip names, comma delimited *
AU	All clip numbers	All clip numbers, comma delimited *
ID	All Clip IDs	All Clip numbers and filenames, comma delimited *
LS	Loop Status	Yes or No
PS	Playback Status	0=paused, 1=playing, N/A=no clip in Program
VD	Preview clip duration	TRT in 00:00:00:00 format
VN	Preview clip name	Name of clip in Preview
VU	Preview clip number	Clip number in # field, N/A = no clip number
GD	Program clip duration	TRT in 00:00:00:00 format
GN	Program clip name	Name of clip playing in Program
GU	Program clip number	Clip number in # field, N/A = no clip number
TE	Program time elapsed from In Point	Time in 00:00:00:00 format
TR	Program Time remaining	Time in 00:00:00:00 format
SF	Show File Name	Show file name, no data if unnamed

* commas in the returned values will be replaced with periods

7 All Keyboard Commands

Show Files

New Show.....	Shift + Command	N
Open Show.....	Command	O
Close Show.....	Command	W
Save Show	Command	S
Save Show As.....	Shift + Command	S
Page Setup	Shift + Command	P
Print.....	Command	P

Preview Controls

Toggle Play/Pause	Option	Space
Step Forward One Frame	Option	→
Step Backward One Frame	Option	←
Set Fast Forward Speed.....	Option	↑
Set Fast Reverse Speed	Option	↓
Goto In Point	Command	-
Goto Out Point	Command	=

Program Controls

Toggle Play/Pause	Shift + Option	Space
Step Forward One Frame	Shift + Option	→
Step Backward One Frame	Shift + Option	←
Set Fast Forward Speed.....	Shift + Option	↑
Set Fast Reverse Speed	Shift + Option	↓
Goto In Point	Shift + Command	
Goto Out Point	Shift + Command	

Clips

New Clips	Command	N
Delete Clip	Command	Delete
Duplicate Clip.....	Command	D
Select Previous Clip		↑
Select Next Clip		↓
Preview Mark In.....	Command	[
Preview Mark Out.....	Command]
Preview Mark Slate.....	Command	\

Show Controls

Select Previous Clip for Preview	↑
Select Next Clip for Preview	↓
Clear Preview Clip	←
Take Preview to Program	Return
End All Playback	Esc
Decrease Take Transition Duration	Option ;
Increase Take Transition Duration	Option ' (apostrophe)
Decrease Link Temp Duration.....	Option A
Increase Link Temp Duration.....	Option S
Toggle Link Temp	Shift + Option L
Decrease Take Program Fade Duration	Option D
Increase Take Program Fade Duration	Option F
Decrease Loop Temp Duration	Option G
Increase Loop Temp Duration.....	Option H
Toggle Loop Temp	Option L
Decrease End All Fade Out	Option J
Increase End All Fade Out	Option K
Toggle Freeze ..	Shift + Control + Option L
Goto 10 Seconds.....	Option 1
Goto 20 Seconds.....	Option 2
Goto 30 Seconds.....	Option 3

Edit

Cut	Command	X
Copy.....	Command	C
Paste	Command	V
Select All	Command	A

Window

Toggle Full Screen.....	Command	F
Minimize to Dock	Command	M

Help

Display Help	Shift + Command	?
--------------------	-----------------	---